

L Number	Hits	Search Text	DB	Time stamp
11	50	(tag with delimit) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 07:21
22	258	(packet with tag with address) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 07:27
23	1		USPAT	2004/05/13 07:25
24	4	(packet with tag with "write address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 07:27
-	100	("packet encapsulation") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/12 15:35
-	367	((packet adj stor\$3) and encapsulat\$3) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:21
-	33	((packet adj stor\$3) same encapsulat\$3) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:38
-	9	((store with "TCP header") same (store with "IP header")) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:29
-	10	((store with "TCP header")) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:30
-	3	((write with "TCP header")) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:36
-	17	"802426"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:34
-	0	((save with "TCP header")) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:36
-	796	(separate with header with data) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:39
-	0	("separate header from data") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:39

-	0	("separate header and data") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:39
-	0	(separate with "header and data") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:47
-	8	((store save) with ("1394" firewire) with header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 13:37
-	9	(memory with ("1394" firewire) with header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 10:44
-	3	("6363428") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 10:44
-	8	(write with ("1394" firewire) with header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 13:47
-	5706	((write save store) with header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 13:48
-	45	((write save store) with header) same encapsulat\$3) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 14:02
-	16	("save header") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 08:55
-	80	((tcode "transaction code") same write) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 09:29
-	21	(isochronous same destination same write) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 10:45
-	48	("transaction label") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 11:01
-	21	("transaction label" with destination) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 11:13
-	16	("transaction label" with address) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 13:44

-	2	"58101544"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:49
-	2	("operational request block") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:48
-	218	(orb and stream) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:48
-	92	(orb and stream not ("object request broker")) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:49
-	91	(orb and stream not ("object request broker" "open relay blocking")) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:49
-	90	((orb and stream not ("object request broker" "open relay blocking")) and @ad<19990715) not "object requester-broker"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:50
-	85	((((orb and stream not ("object request broker" "open relay blocking")) and @ad<19990715) not "object requester-broker") not "object resource broker"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:50
-	90	((((orb and stream not ("object request broker" "open relay blocking")) and @ad<19990715) not "object requester-broker") not "object resource-broker"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:50
-	85	(((((orb and stream not ("object request broker" "open relay blocking")) and @ad<19990715) not "object requester-broker") not "object resource broker") not "object resource-broker"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:50
-	1	("cip transport protocol") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:57
-	61	(cip with protocol) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 14:57
-	3	(tag with "writing area") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:51
-	19	((tag adj generat\$3) with writ\$1) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:43
-	337	(tag same "write address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:51

-	176	(tag with "write address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:10
-	1		USPAT	2004/05/12 16:04
-	184	(tag with "storage area") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:10
-	0	(tag with "write storage area") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:11
-	48	(tag with address with "storage area") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 07:07